



TotalMass MLV Barrier By IsoStore

Material Safety Data Sheet

I PRODUCT IDENTIFICATION

COMMON/TRADE NAME: TotalMass MLV 1 LB and 2 LB **ISSUE DATE:** 04/12/2012

Manufacturer: **IsoStore**
7552 W Victory Rd
Boise ID 83709
Tel: 877-866-6473

24 Hour Emergency Number: URL: IsoStore.com
877-866-6473

PRODUCT USE: Used as a sound isolation membrane in various applications.

II INGREDIENTS

Vinyl sound deadening products are classified as "ARTICLES" under applicable EPA Regulations and OSHA Standards. Under normal conditions of use, these articles do not release or otherwise result in exposure to a hazardous chemical.

III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point

N/A

Vapor Pressure (mm Hg)

N/A

Vapor Density (AIR=1)

N/A

Evaporation Rate (Butyl Acetate=1)

N/A

Specific Gravity (H2O=1)

1.97 +/- .05

Melting Point

300-325 Degrees F

Solubility in Water

N/A

Appearance and Odor

Solid, flexible material



TotalMass MLV Barrier By IsoStore

IV FIRE AND EXPLOSION HAZARD DATA

Flash Point N/A	Flammable Limits None established	LEL N/A	UEL N/A
---------------------------	---	-------------------	-------------------

Extinguishing Media

Water spray, foam, carbon dioxide when fighting a fire involving this material.

Special Fire Fighting Equipment

Wear self-contained breathing apparatus when exposed to products in decomposition.

Unusual Fire and Explosion Hazards

None

V REACTIVITY DATA

Stability Stable	Conditions to Avoid Temperatures above 400 degrees F
----------------------------	--

Incompatibility

None known

Hazardous Decomposition or Byproducts

Hydrogen chloride gas, carbon dioxide oxidation, and decomposition products would result from the combustion or thermal degradation of this product.

Hazardous Polymerization

Will not occur

Conditions to Avoid

Temperatures above 400 degrees F

VI HEALTH HAZARD DATA

Routes of Entry

Inhalation No	Skin No	Ingestion No
-------------------------	-------------------	------------------------

Health Hazards (Acute and Chronic)

Carcinogenicity (Refer to SECTION II)	NIP No	IARC Monographs No	OSHA Regulated No
---	------------------	------------------------------	-----------------------------

Signs and Symptoms of Exposure

None known under normal use

Medical Conditions Generally Aggravated By Exposure

N/A

Emergency and First Aid Procedures

Wash skin with soap and water for skin burns caused by exposure to heated material, immediately immerse affected area in cold water and flush with large amounts of cold water. Cover with gauze and seek prompt medical attention.



TotalMass MLV Barrier By IsoStore

VII PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken In Case Material Is Released Or Spilled

N/A

Waste Disposal Method

In accordance with applicable environmental waste control regulations.

Precautions To Be Taken In Handling and Storage

Normal hygienic practices, store at ambient temperatures.

Other Precautions

None required

VIII EMPLOYEE PROTECTION RECOMMENDATIONS

Respiratory Protection

None

Ventilation:

Local Exhaust

Only if dust is generated

Special

N/A

Mechanical

N/A

Other

N/A

Protective Gloves

Gloves should be worn as good industrial practice.

Eye Protection

When cutting product, safety glasses are good industrial practice.

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

Normal hygiene



TotalMass MLV Barrier By IsoStore

IX SHIPPING DATA

D.O.T. Shipping Name

N/A

D.O.T. Hazard Class

Non-regulated

D.O.T. Classification

Rolled matting plastic or rubber – NMFC156830 CL 55

MSDS No: 1

Approved By: Eric Pollard

Title: President

Disclaimer:

The information above is believed to be accurate in accordance with 29 CFR 1910.1200, and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall IsoStore be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if IsoStore has been advised of the possibility of such damages.