





# TotalMass MLV Barrier By IsoStore

---

## IV FIRE AND EXPLOSION HAZARD DATA

---

<b>Flash Point</b> N/A	<b>Flammable Limits</b> None established	<b>LEL</b> N/A	<b>UEL</b> N/A
---------------------------	---	-------------------	-------------------

### Extinguishing Media

Water spray, foam, carbon dioxide when fighting a fire involving this material.

### Special Fire Fighting Equipment

Wear self-contained breathing apparatus when exposed to products in decomposition.

### Unusual Fire and Explosion Hazards

None

---

## V REACTIVITY DATA

---

### Stability

Stable

### Conditions to Avoid

Temperatures above 400 degrees F

### Incompatibility

None known

### Hazardous Decomposition or Byproducts

Hydrogen chloride gas, carbon dioxide oxidation, and decomposition products would result from the combustion or thermal degradation of this product.

### Hazardous Polymerization

Will not occur

### Conditions to Avoid

Temperatures above 400 degrees F

---

## VI HEALTH HAZARD DATA

---

### Routes of Entry

#### Inhalation

No

#### Skin

No

#### Ingestion

No

### Health Hazards (Acute and Chronic)

#### Carcinogenicity

(Refer to SECTION II)

#### NIP

No

#### IARC Monographs

No

#### OSHA Regulated

No

### Signs and Symptoms of Exposure

None known under normal use

### Medical Conditions Generally Aggravated By Exposure

N/A

### Emergency and First Aid Procedures

Wash skin with soap and water for skin burns caused by exposure to heated material, immediately immerse affected area in cold water and flush with large amounts of cold water. Cover with gauze and seek prompt medical attention.



# TotalMass MLV Barrier By IsoStore

---

## VII PRECAUTIONS FOR SAFE HANDLING AND USE

---

### Steps To Be Taken In Case Material Is Released Or Spilled

N/A

### Waste Disposal Method

In accordance with applicable environmental waste control regulations.

### Precautions To Be Taken In Handling and Storage

Normal hygienic practices, store at ambient temperatures.

### Other Precautions

None required

---

## VIII EMPLOYEE PROTECTION RECOMMENDATIONS

---

### Respiratory Protection

None

### Ventilation:

#### Local Exhaust

Only if dust is generated

#### Special

N/A

#### Mechanical

N/A

#### Other

N/A

### Protective Gloves

Gloves should be worn as good industrial practice.

### Eye Protection

When cutting product, safety glasses are good industrial practice.

### Other Protective Clothing or Equipment

N/A

### Work/Hygienic Practices

Normal hygiene



# TotalMass MLV Barrier By IsoStore

---

## IX SHIPPING DATA

---

**D.O.T. Shipping Name**

N/A

**D.O.T. Hazard Class**

Non-regulated

**D.O.T. Classification**

Rolled matting plastic or rubber – NMFC156830 CL 55

**MSDS No: 1**

**Approved By: Eric Pollard**

**Title: President**

**Disclaimer:**

The information above is believed to be accurate in accordance with 29 CFR 1910.1200, and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall IsoStore be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if IsoStore has been advised of the possibility of such damages.